



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D4434-045 Job Sheet 189920



Part No: D4434-045

Job Qty: 8 pcs

Part Name: Fwd Outboard Bracket Assembly



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 1/31/19

Job Tracking No:

Due Date: 3/4/19

Created By: Dara Macdonald

Type: Stock

Description:

Note: DWG REV C SHEET 4 IPP revA 11.10.06 new issue EC verified by:DD IPP RevB 11.12.22 per PA5 EC
verified by:JLM IPP RevC 12.01.24 per REV.A DD verified by:EC IPP RevD 12.03.05 per REV.B DD verified
by:EC IPP REV:E 13.04.01 AS PER D4434 REV.C DD VERF:JLM

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter / Supplier Lead Time	DAS Sign-off
					Setup Hrs	Run Hrs		
100	Small Fab - 1	8 pcs	3/4/19		0.00	3.10	Small Fab - 1	58 FEB 21 2019 9-89
							Small Fab - 2	
							Small Fab - 3	
							Small Fab - 4	
							Small Fab - 5	
							Small Fab - 6	
							Small Fab - 7	
110	QC 5	8 pcs	3/4/19		0.00	0.00	QC 5 - 10	DAS FEB 21 2019 68 9-89
							QC 5 - 12	
							QC 5 - 17	
							QC 5 - 18	
							QC 5 - 19	
							QC 5 - 22	
							QC 5 - 24	
							QC 5 - 3	
							QC 5 - 38	
							QC 5 - 42	
							QC 5 - 43	
							QC 5 - 49	
							QC 5 - 51	
							QC 5 - 58	
							QC 5 - 68	
							QC 5 - 9	
							QC 5 - 50	
							QC 5 - 30	
120	Powdercoat - 4 Black Sand - B4B	8 pcs	3/4/19		0.00	0.43	Powdercoat - 1 - B4B	DAS FEB 21 2019 68 9-89
							Powdercoat - 2 - B4B	
							Powdercoat - 3 - B4B	
							Powdercoat - 4 - B4B	

START: 3:45 OUT: 3:20 F. FINISH: 4:15

130 QC 3	8 pcs	3/4/19	0.00 0.00	QC 3 - 10	
				QC 3 - 13	
				QC 3 - 15	
				QC 3 - 17	
				QC 3 - 18	
				QC 3 - 2	
				QC 3 - 26	
				QC 3 - 28	
				QC 3 - 3	
				QC 3 - 30	
				QC 3 - 34	
				QC 3 - 36	
				QC 3 - 38	
				QC 3 - 41	
				QC 3 - 51	
				QC 3 - 58	
				QC 3 - 59	
				QC 3 - 6	
				QC 3 - 68	
				QC 3 - 9	
140 Small Fab - 2 - B4B	8 pcs	3/4/19	0.00 3.10	Small Fab - 1 - B4B	
				Small Fab - 2 - B4B	
				Small Fab - 3 - B4B	
				Small Fab - 4 - B4B	
				Small Fab - 5 - B4B	
				Small Fab - 6 - B4B	
				Small Fab - 7 - B4B	
150 QC 5	8 pcs	3/4/19	0.00 0.00	QC 5 - 10	
				QC 5 - 12	
				QC 5 - 17	
				QC 5 - 18	
				QC 5 - 19	
				QC 5 - 22	
				QC 5 - 24	
				QC 5 - 3	
				QC 5 - 38	
				QC 5 - 42	
				QC 5 - 43	
				QC 5 - 49	
				QC 5 - 51	
				QC 5 - 58	
				QC 5 - 68	
				QC 5 - 9	
				QC 5 - 50	
				QC 5 - 30	
160 Packaging 3-1 - Stock - B4B	8 pcs	3/4/19	0.00 0.00	Packaging 3 - 1 - B4B	
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	


DAS
58
9-89 FEB 22 2019

DAS
58
9-89 FEB 22 2019

DAS
68
9-89 FEB 22 2019

					Packaging 3 - 15 - B4B	
					Packaging 3 - 16 - B4B	
					Packaging 3 - 17 - B4B	
					Packaging 3 - 18 - B4B	
					Packaging 3 - 19 - B4B	
					Packaging 3 - 20 - B4B	
					Packaging 3 - 21 - B4B	
					Packaging 3 - 22 - B4B	
					Packaging 3 - 23 - B4B	
					Packaging 3 - 24 - B4B	
					Packaging 3 - 25 - B4B	
					Packaging 3 - 26 - B4B	
					Packaging 3 - 27 - B4B	SA FEB 22 2019
					Packaging 3 - 28 - B4B	
					Packaging 3 - 29 - B4B	
					Packaging 3 - 30 - B4B	
					Packaging 3 - 31 - B4B	
					Packaging 3 - 32 - B4B	
					Packaging 3 - 33 - B4B	
					Packaging 3 - 34 - B4B	
					Packaging 3 - 35 - B4B	
					Packaging 3 - 36 - B4B	
170	QC 21 - SA	8 pcs	3/4/19	0.00 0.00	QC 21 - SA - 21	DAS FEB 22 2019
					QC 21 - SA - 70	21
						9-88
Part Op 100 - Small Fab Descriptions: 110 - QC5- Inspect part completeness to step on W/O 120 - Black Sandtex(Ref:4.3.5.7) per QSI005 4.3 130 - QC3- Inspect Part Finish 140 - Small Fab 150 - QC5- Inspect part completeness to step on W/O 160 - Identify as per dwg & Stock Location: _____ 170 - QC21- Final Inspection - Work Order Release						
Job BOM						
Part / Item	Component Name	Quantity	Operation	Container		
D4434-3	Bracket	8 pcs (1 ea)	100-Small Fab - 1	S152620		
D4434-5	Bracket	8 pcs (1 ea)	100-Small Fab - 1	S138841 X3	S152 301 X5	
D4441-1	Rubber Seal	4 ft (.5 ea)	100-Small Fab - 1	S092167		
MS20426AD4-4	Rivet	48 Ea (6 ea)	100-Small Fab - 1	S113854-1		
Job Allocations						
Operation	Component Part	Required	Inventory	Allocated		
100-Small Fab - 1	D4434-3	8	0	0		
	D4434-5	8	3	0		
	D4441-1	4	472	0		
	MS20426AD4-4	48	2,786	0		
Part Specifications						
Specifications could not be found.						

ITEM	QTY. -041	PART NUMBER	DESCRIPTION
1	X	D4434-041	FWD BRACKET ASSEMBLY
2	1	D4434-043	FWD INBOARD BRACKET ASSEMBLY
3	1	D4434-045	FWD OUTBOARD BRACKET ASSEMBLY
4	4	AN525-832R7	SCREW



D4434-041 FWD BRACKET ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.38 lbs
- 8) TORQUE SCREW TO 12-15 (in-lb)

RELEASED
2014 -03- 31



C	ADD & CHANGE DIM TO 2 DEC PL (ZN C6-9, C7-9); REVISE D4434-045/-5/-9F (ZN B5-4, A5-10, B5-11); ADD ADHESIVE TO D4434-045 BOM (ZN D4-4)	RF	14.03.06
B	RE-DESIGN D4434-9/-9F (ZN B5-14, A5-15)	RF	12.02.22
A	NEW ISSUE	RF	12.01.17
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	DD	D4434	SHEET 1 OF 15
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	# COVER ASSEMBLY	NTS
DATE	14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

APPROVED

8 7 6 5 4

3 2 1

ITEM	QTY -043	PART NUMBER	DESCRIPTION
1	X	D4434-043	FWD INBOARD BRACKET ASSEMBLY
2	1	D4434-1	BRACKET
3	1	D4434-9	BRACKET
4	1	D4435-041	BRACKET ASSEMBLY
5	1	D4440-1	GROMMET
6	1	D4441-1-017	RUBBER SEAL
7	1	D4441-1-025	RUBBER SEAL
8	1	D4441-1-225	RUBBER SEAL
9	3	AN525-832R6	SCREW
10	12	MS20426AD3-2	RIVET
11	2	MS20426AD3-3	RIVET
12	5	MS20470AD4-3	RIVET
13	7	MS21075L08	NUT PLATE
14	A/R	3M 1300/1300L	ADHESIVE



D4434-043 FWD INBOARD BRACKET ASSEMBLY

NOTES:



- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "BLACK SANDEXT" (4.3.5.7) PER DART QSI 005 4.3
MASK NUT PLATE HOLES
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 1.00 lbs
- 8) INSTALL RUBBER SEAL TO EDGE OF PART AFTER POWDER COAT USING 3M 1300/1300L ADHESIVE
ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL
IT IS ACCEPTABLE TO NOTCH THE SEAL AS REQUIRED TO PREVENT IT FROM BUCKLING
- 9) TORQUE SCREW TO 12-15 (in-lb)

RELEASED
2014-03-31

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	DRAWING NO. D4434	REV. C
DRAWN	RF			
CHECKED	DC	DATE 14.03.06	TITLE COVER ASSEMBLY	SHEET 2 OF 15
MFG. APPR.	DD			
APPROVED	HS	SCALE NTS		
DE APPR.	DS	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		

8 7 6 5 4 3 2 1



SECTION A-A C4-3

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 1.00 lbs
- 8) TRANSFER $\phi 0.129$ HOLES THRU 5 PLACES FROM D4434-9 TO D4434-1
- 9) TRANSFER $\phi 0.098$ HOLES THRU 2 PLACES FROM D4434-9 TO D4434-1
- 10) CSK $\phi 0.179 \times 100^\circ$ ON THIS SIDE 2 PLACES
- 11) TRANSFER $\phi 0.177$ HOLE THRU FROM D4434-9 TO D4434-1


D4434-043 FWD INBOARD BRACKET ASSEMBLY
AUXILIARY VIEW

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	DD	D4434	SHEET 3 OF 15
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	COVER ASSEMBLY	NTS
DATE	14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISCLOSED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2014-03-31

ITEM	QTY -045	PART NUMBER	DESCRIPTION
1	X	D4434-045	FWD OUTBOARD BRACKET ASSEMBLY
2	1	D4434-3	BRACKET
3	1	D4434-5	BRACKET
4	1	D4441-1-060	RUBBER SEAL
5	6	MS20426AD4-4	RIVET
6	A/R	3M 1300/1300L	ADHESIVE



D4434-045 FWD OUTBOARD BRACKET ASSEMBLY


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
MASK NUT PLATE HOLES
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.38 lbs
- 8) INSTALL RUBBER SEAL TO EDGE OF PART AFTER POWDER COAT USING 3M 1300/1300L ADHESIVE
ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL
IT IS ACCEPTABLE TO NOTCH THE SEAL AS REQUIRED TO PREVENT IT FROM BUCKLING
- 9) TRANSFER $\varnothing 0.129$ HOLE 6 PLACES AND CSK TO $\varnothing 0.225 \times 100^\circ$

RELEASED
2014-03-31

APPROVED	DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	DRAWN	RF		
	CHECKED	DC	DRAWING NO.	REV. C
	MFG. APPR.	DD	D4434	SHEET 4 OF 15
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	COVER ASSEMBLY	NTS
DATE		14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

ITEM	QTY -047	PART NUMBER	DESCRIPTION
1	X	D4434-047	COVER ASSEMBLY
2	1	D4434-7	BRACKET
3	2	MS20470AD4-3	RIVET



D4434-047 COVER ASSEMBLY

RELEASED
2014-03-31

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.26 lbs

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO. D4434	REV. C
MFG. APPR.	DD		SHEET 5 OF 15
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	COVER ASSEMBLY	NTS
DATE	14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1





D

C

B

A

B
B2-6



D4434-1 BRACKET

DETAIL B C8-6
SCALE 2X

RELEASED
2014-03-31
md

NOTES:

- 1) MATERIAL: MAKE FROM D4434-1F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.70 lbs

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	DD	D4434	SHEET 6 OF 15
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	COVER ASSEMBLY	NTS
DATE	14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

8 7 6 5 4 3 2 1


8 7 6 5 4 3 2 1

D


C

B

A



DETAIL C B6-7
SCALE 2X



D4434-1F FLAT PATTERN

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.70 lbs

RELEASED
2014-03-31

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	DD	D4434	SHEET 7 OF 15
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	COVER ASSEMBLY	NTS
DATE	14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1

8

7

6

5

4

3

2





1

D

C

B

A



D4434-3 BRACKET

RELEASED
2014-03-31

NOTES:

- 1) MATERIAL: MAKE FROM D4434-3F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.14 lbs

APPROVED

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	DD	D4434	SHEET 8 OF 15
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	COVER ASSEMBLY	NTS
DATE	14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

8

7

6


5

4

3

2

1



D4434-3F FLAT PATTERN





NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.14 lbs

APPROVED

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	DD	D4434	SHEET 9 OF 15
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	COVER ASSEMBLY	NTS
DATE	14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

RELEASED
2014-03-31
WMD



D4434-5 BRACKET





NOTES:

- 1) MATERIAL: MAKE FROM D4434-5F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.20 lbs

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO. D4434	REV. C
MFG. APPR.	DD	SHEET 10 OF 15	
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	COVER ASSEMBLY	NTS
DATE	14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2014-03-31



D4434-7 BRACKET

NOTES:

- 1) MATERIAL: MAKE FROM D4434-7F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.26 lbs
- 8) TRANSFER $\varnothing 0.129$ HOLE THRU 2 PLACES

RELEASED
2014-03-31

APPROVED




DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	DD	D4434	SHEET 12 OF 15
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	COVER ASSEMBLY	NTS
DATE	14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.26 lbs

2014 -03- 3

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	DD	D4434	SHEET 13 OF 1
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	COVER ASSEMBLY	NT
DATE	14.03.06 COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE & CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE COPIED OR FOR ANY PURPOSES OR COPIES OR COMMUNICATED TO ANY OTHER PERSON OR ENTITY WITHOUT PERMISSION FROM DART AEROSPACE LTD		



D4434-9 BRACKET


NOTES:

- 1) MATERIAL: MAKE FROM D4434-9F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.10 lbs


RELEASED
2014-03-31

APPROVED

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	DD	D4434	SHEET 14 OF 15
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	COVER ASSEMBLY	NTS
DATE	14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



DETAIL D
SCALE 2X C3-15



NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.10 lbs

D4434-9F FLAT PATTERN

RELEASED
2014-03-31

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	DD	D4434	SHEET 15 OF 15
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	COVER ASSEMBLY	NTS
DATE	14.03.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____


Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐ ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled		FAULT CATEGORY ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1A1
CANADA
TEL: 1 613 632-1111
Email: sales@dart.ca
www.dartaerospace.ca

Container No: S155496



Part: D4434-045

Job No: 189920

Serial No/Batch: S155496

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Date: 02/21/19